

Resistive Divider, DC-7.2GHz, 9-way, SMA-Female

WM9RD-7.2-S

Description

WM9RD-7.2-S is a resistive splitter that covers up to 7.2GHz with ultra-wide bandwidth. This unique design accomplishes extremely flat frequency response in a small radial package. Our unique design approach provides higher than expected isolation between outputs at far ports than would be achieved in a typical star topology. It has applications in markets such as CATV, test and measurement, and military radio. Its small size makes it easy to integrate into compact systems. Designed, assembled, and tested in the USA.




Photo is representative.

Specifications	Min.	Typ.	Max.	Units
Frequency	DC	--	7.2	GHz
Impedance	--	50	--	Ohm
Return Loss (Port S)	9.5	12	--	dB
Return Loss (Port 1-9)	9.5	14	--	dB
Insertion Loss (Total Measured Loss)	--	19.1	21.9	dB
Isolation (Within Group)	--	9.5	--	dB
(Between Groups A-B-C)	--	28.5	--	dB
Input Power (CW) ¹	--	--	1	Watts

Mechanical



Connector Interface	SMA-Female
Operating Temperature ²	-40 to +85 °C
Storage Temperature	-55 to +100 °C
Weight Estimate	60.8 g (2.14 oz)
Humidity	10-90% non-condensing
Environment	Indoors Use Only
CAGE Code	78YZ0


1. All output ports should be terminated in a 50-ohm load with 1.2:1 max VSWR.
2. Electrical specifications at +25 °C only.
3. To the best of our knowledge at the time of publication.

Materials

RoHS Compliant ³	Yes
REACH Compliant ³	Yes
Enclosure	Aluminum
Connectors	Brass, Gold Plated
Contacts	Be Cu, Gold Plated
Insulators	PTFE
Finish	Green Paint

Typical Performance at +25 °C






Repeatability in Production



Typical Performance Data

Frequency (MHz)	Return Loss (dB)			Total Loss (dB)			Isolation (dB)		
	Port S	Port 1	Port 9	S-1	S-5	S-9	1-2	1-5	1-9
1	51.17	56.66	63.69	19.07	19.08	19.04	9.57	28.56	28.56
100	40.11	52.99	52.38	19.06	19.07	19.03	9.58	28.57	28.57
200	33.94	45.98	46.18	19.06	19.07	19.03	9.59	28.57	28.57
300	30.69	43.94	43.49	19.05	19.07	19.03	9.59	28.57	28.57
400	28.18	41.24	40.22	19.04	19.07	19.02	9.59	28.58	28.56
500	26.79	39.86	39.05	19.02	19.06	19.01	9.59	28.58	28.54
600	25.40	38.68	38.03	18.99	19.05	18.99	9.60	28.58	28.54
700	24.21	37.31	36.96	18.97	19.05	18.98	9.60	28.61	28.55
800	23.29	35.72	35.88	18.95	19.03	18.96	9.61	28.61	28.54
900	22.34	35.32	35.50	18.91	19.02	18.94	9.61	28.62	28.53
1000	21.74	34.28	34.50	18.87	19.00	18.91	9.61	28.62	28.52
1500	19.60	29.49	30.91	18.68	18.88	18.75	9.69	28.69	28.47
2000	18.77	26.72	28.42	18.45	18.69	18.51	9.85	28.70	28.34
2500	18.91	23.60	25.85	18.25	18.45	18.23	10.10	28.64	28.11
3000	19.89	20.77	23.58	18.12	18.24	18.01	10.39	28.61	27.87
3500	20.81	18.97	22.61	18.11	18.09	17.99	10.68	28.70	27.73
4000	20.33	17.85	21.79	18.20	18.02	18.11	10.96	29.00	27.76
4500	19.04	17.71	21.91	18.32	18.01	18.27	11.34	29.52	27.84
5000	18.26	17.38	21.48	18.55	18.07	18.42	11.94	30.68	28.30
5500	18.25	16.19	19.77	18.81	18.20	18.59	12.87	31.93	28.70
6000	18.14	15.23	18.25	19.06	18.45	18.79	13.94	32.65	28.70
6500	17.31	14.93	17.35	19.29	18.77	19.11	15.19	35.06	29.80
7000	15.82	16.04	18.04	19.62	19.37	19.58	16.85	37.71	31.05
7500	14.10	19.71	21.16	19.88	20.27	20.01	18.77	38.83	32.17
8000	12.77	34.32	25.44	20.02	21.47	20.31	20.70	38.35	32.96

Outline Dimensions



Outline drawing: OL-R12-09

Dimensions are in inches, [mm] shown for convenience.

Tolerances on 2-pl decimals: $\pm .03$. 3-pl decimals: $\pm .015$.

Group	A			B			C		
Port	1	2	3	4	5	6	7	8	9

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or documentation of the part, in order to implement improvements. Werbel Microwave LLC reserves the right to make such changes as required without notice. Unless otherwise stated, all specifications and dimensions are nominal. Werbel Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Werbel Microwave LLC does not assume any liability arising out of the use of any part of documentation. This document gives only a description of the product(s) and shall not form part of any contract. Please contact a Werbel Microwave LLC Applications Engineer for the most current specification drawing.