

Resistive Divider, DC-7.2GHz, 16-way, SMA-Female

WMRD16-7.2-S

Description

WMRD16-7.2-S is a 16-way resistive splitter that covers up to 7.2GHz with ultra-wide bandwidth. This unique design accomplishes extremely flat frequency response in a small radial package. Our unique design approach provides higher than expected isolation between outputs at far ports than would be achieved in a typical star topology. It has applications in markets such as CATV, test and measurement, and military radio. Its small size makes it easy to integrate into compact systems. Designed, assembled, and tested in the USA.



Photo is representative.

Specifications	Min.	Typ.	Max.	Units
Frequency	DC	--	7.2	GHz
Impedance	--	50	--	Ohm
Return Loss (Port S)	9.5	12	--	dB
Return Loss (Port 1-16)	9.5	14	--	dB
Insertion Loss (Total Measured Loss)	--	24.1	26.2	dB
Isolation (Within Group)	--	12.0	--	dB
(Between Groups A-B-C-D)	--	36.1	--	dB
Input Power (CW) ¹	--	--	1	Watts

Mechanical


Connector Interface	SMA-Female
Operating Temperature ²	-40 to +85 °C
Storage Temperature	-55 to +100 °C
Weight Estimate	105 g (3.70 oz)
Humidity	10-90% non-condensing
Environment	Indoors Use Only
CAGE Code	78YZ0


Materials

RoHS Compliant ³	Yes
REACH Compliant ³	Yes
Enclosure	Aluminum
Connectors	Brass, Gold Plated
Contacts	Be Cu, Gold Plated
Insulators	PTFE
Finish	Green Paint

1. All output ports should be terminated in a 50-ohm load with 1.2:1 max VSWR.
2. Electrical specifications at +25 °C only.
3. To the best of our knowledge at the time of publication.

Typical Performance at +25 °C






Repeatability in Production



Typical Performance Data

Frequency (MHz)	Return Loss (dB)			Total Loss (dB)			Isolation (dB)		
	Port S	Port 1	Port 16	S-1	S-8	S-16	1-2	1-4	1-8
1	58.90	58.43	59.18	24.12	24.13	24.11	12.05	12.03	36.27
100	36.03	42.91	41.39	24.10	24.13	24.11	12.04	12.03	36.18
200	29.93	36.59	35.25	24.10	24.12	24.09	12.04	12.03	36.17
300	26.64	33.40	32.35	24.07	24.10	24.06	12.04	12.04	36.14
400	24.17	30.84	29.64	24.04	24.07	24.04	12.04	12.04	36.11
500	22.67	29.33	28.19	24.02	24.03	24.00	12.04	12.04	36.06
600	21.26	28.01	27.02	23.97	23.98	23.96	12.03	12.04	36.00
700	20.14	26.83	25.88	23.93	23.92	23.91	12.03	12.03	35.95
800	19.19	25.62	24.89	23.89	23.86	23.86	12.04	12.04	35.88
900	18.33	24.93	24.28	23.82	23.79	23.81	12.03	12.04	35.82
1000	17.74	24.10	23.59	23.77	23.72	23.73	12.04	12.04	35.75
1500	15.90	20.74	21.04	23.43	23.35	23.40	12.12	12.11	35.41
2000	15.53	18.19	19.18	23.09	23.02	23.08	12.28	12.26	35.08
2500	15.15	15.83	17.16	23.01	22.81	23.01	12.47	12.44	34.88
3000	13.83	14.23	15.63	23.26	22.71	23.23	12.61	12.50	34.94
3500	12.72	13.66	14.96	23.77	22.54	23.71	12.83	12.49	34.53
4000	13.19	13.56	14.52	24.53	23.10	24.47	12.94	12.47	33.93
4500	14.64	14.61	15.12	24.38	23.11	24.40	13.26	12.34	35.23
5000	16.72	16.46	16.21	24.03	23.21	24.03	13.70	12.30	36.73
5500	16.82	19.18	17.89	23.44	23.48	23.45	14.07	12.24	38.68
6000	14.74	21.51	19.61	22.83	23.69	22.87	14.27	12.12	40.54
6500	13.02	21.12	21.55	22.62	24.06	22.60	14.35	11.95	41.02
7000	12.75	17.90	20.35	22.85	24.36	22.78	14.54	11.79	40.26
7500	14.06	15.45	17.62	23.49	24.41	23.40	14.88	11.69	39.63
8000	17.78	13.03	14.20	24.21	24.40	24.16	15.36	11.76	39.94

Outline Dimensions



Outline drawing: OL-R18-16

Dimensions are in inches, [mm] shown for convenience.

Tolerances on 2-pl decimals: $\pm .03$. 3-pl decimals: $\pm .015$.

Group	A				B				C				D			
Port	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or documentation of the part, in order to implement improvements. Werbel Microwave LLC reserves the right to make such changes as required without notice. Unless otherwise stated, all specifications and dimensions are nominal. Werbel Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Werbel Microwave LLC does not assume any liability arising out of the use of any part of documentation. This document gives only a description of the product(s) and shall not form part of any contract. Please contact a Werbel Microwave LLC Applications Engineer for the most current specification drawing.